Product datasheet

FIL 70 TECH

F71RE100MOTS840DG



FIL 70 TECH REC 1M 3200 NW DALI GR.

Description:

Recessed luminaire model FIL 70 TECH REC 1M 3200 NW DALI GR., LAMP brand. Made of satin grey painted extruded aluminium. Model for MID-POWER LED with neutral white colour temperature and control DALI gear included. Which consists of a two-phase reflection. Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO



Finish: Gloss grey

Dimensions: 1.000 x 70 x 70 mm Weight: 2.124 g

Installation: Recessed

1,012 x 78 x 85 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 2.400 lm °K: 4000 Plum: 23,6W CRI: 80 Efficacy: 101,6 lm/w 3 MacAdam:

UGR: <19 Power Supply: 220-240V 50/60Hz Type: MID POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

Power: 21W

Light output tolerance +/- 10%



























CUSTOM MADE OPTIONS:











Data according to regulations 2019/2020/EU and 2019/2015/EU















FIL 70 TECH





F71RE100MOTS840DG


FIL 70 TECH REC 1M 3200 NW DALI GR.

PHOTOMETRIC DATA:

4740133 η = 100% lmax = 753 cd/klmUTE: 1,00A







H (m)	D (m)	Emax	Emed
1	1,63	1568	950
2	3,26	392	237
3	4,90	174	106
4	6,53	98	59

FIL 70 TECH



ACCESORIES:

Assembly



Product code:

ELWRST



ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7J0



ACC. INTM JOINT



Product code:

F7REECG F7REECW

Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7TEREHCG F7TEREHCW

Description:

FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.

ACCESORIES:

Optical



Product code:

Description:

DIOPST1000 ACC. DIF. SOFT TECH OPAL

Data according to regulations 2019/2020/EU and 2019/2015/EU