Product datasheet

FIL 70


F71RE170HOOP830NW



FIL 70 OPAL REC 6600 WW WH.

Description:

Recessed luminaire model FIL 70 OPAL REC 6600 WW WH., LAMP brand. Made of matt white painted extruded aluminium with opal polycarbonate diffuser. Model for LED MID-POWER with warm white colour temperature and control gear included. IP43, IK06 protectio n rating. Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Finish: Matte white RAL 9010 1.743 x 89 x 70 mm Dimensions:

Weight: 4.276 g

Installation: Recessed

1,755 x 78 x 85 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 5.055 lm °K: 3000 Plum: 45,8W CRI: 80 Efficacy: 110,4 lm/w 3 MacAdam:

Type: MID POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

41W Power:

Light output tolerance +/- 10%



































CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU


















FIL 70





FIL 70 OPAL REC 6600 WW WH.



PHOTOMETRIC DATA:







Product datasheet

FIL 70



ACCESORIES :

Assembly



Product code:

ELWRST

Description:

ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7COSUX/MMG F7COSUX/MMW

Description:

FIL 70 ACC. COVER X/MM GR. FIL 70 ACC. COVER X/MM WH.



Product code:

F7JO

Description:

ACC. INTM JOINT



Product code:

F7PRREX/MMG F7PRREX/MMW

Description:

FIL 70 ACC. REC PROFILE X/MM GR. FIL 70 ACC. REC PROFILE X/MM WH.



Product code:

F7REECG F7REECW

Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7REHCG F7REHCW

Description:

FIL 70 ACC. REC 90° CORNER GR. FIL 70 ACC. REC 90° CORNER WH.

ACCESORIES:

Optical



Product code:

Description:

F7DIX/MMOP FIL 70 ACC. OPAL DIFFUSER X/MM

Data according to regulations 2019/2020/EU and 2019/2015/EU

FIL 70



