#### **FIL 70 TECH**

#### F71RE200HOTA840DG



### FIL 70 TECH ASYM REC 2M 6400 NW DA GR

#### Description:

Recessed luminaire FIL 70 TECH ASYM REC 2M 6400 NW DA GR., LAMP brand. Made of satin grey painted extruded aluminium with REDIL® OPTICS. Model for LED MID-POWER with neutral white colour temperature and DALI electronic control gear included. Insulation class I. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Gloss grey

Dimensions: 2.000 x 70 x 70 mm Weight: 4.830 g



Installation: Recessed

2,012 x 78 x 85 mm Recessing measures:

#### **TECHNICAL SPECIFICATIONS:**

Light output: 4.064 Im °K: 4000 Plum: 44,7W CRI: 80 Efficacy: 90,9 lm/w 3 MacAdam:

UGR: <19 Power Supply: 220-240V 50/60Hz Type: MID POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

Power: 42W

#### Light output tolerance +/- 10%



CLASE

















# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU















# **FIL 70 TECH**




F71RE200HOTA840DG

FIL 70 TECH ASYM REC 2M 6400 NW DA GR

#### **PHOTOMETRIC DATA:**

14740333 η = 100% Imax = 949 cd/klm UTE: 1,00B + 0,00T CIE: 71 98 100 100 100



### **FIL 70 TECH**



# ACCESORIES:

## **Assembly**



Product code:

ELWRST

#### Description:

ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7COSUX/MMG F7COSUX/MMW

#### Description:

FIL 70 ACC. COVER X/MM GR. FIL 70 ACC. COVER X/MM WH.



Product code:

F7JO

#### Description:

ACC. INTM JOINT



Product code:

F7PRREX/MMG F7PRREX/MMW

#### Description:

FIL 70 ACC. REC PROFILE X/MM GR. FIL 70 ACC. REC PROFILE X/MM WH.



Product code:

F7REECG F7REECW

## Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



# Product code:

F7TEREHCG F7TEREHCW

#### Description:

FIL 70 TECH ACC. REC 90° CORNER GR. FIL 70 TECH ACC. REC 90° CORNER WH.

Data according to regulations 2019/2020/EU and 2019/2015/EU