Product datasheet


FIL 70 TECH

F71RE200HOTS830DG

FIL 70 TECH REC 2M 6400 WW DALI GR.

Description:


Suspended or mounted surface luminaire model FIL 70 TECH REC 2M 6400 WW DALI GR., LAMP brand. Made of satin grey painted extruded aluminium. Model for MID-POWER LED with warm white colour tem perature and control DALI gear included, which consists of a two-phase reflection. Glare rating <19 (for 4h, 8h 70/50/20). Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Dimensions: 2.000 x 70 x 70 mm Weight: 4.247 g

Installation: Recessed

2,012 x 78 x 85 mm Recessing measures:



TECHNICAL SPECIFICATIONS:

Light output: 4.800 lm °K: 3000 Plum: 44,7W CRI: 80 Efficacy: 107,3 lm/w 3 MacAdam:

UGR: <19

Type: MID POWER LED

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

42W Power:

Light output tolerance +/- 10%

























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:

Gear:





220-240V 50/60Hz

Adjustable DALI



+34937366800

FIL 70 TECH



Emed

2001

500

222

125

835


371


209


F71RE200HOTS830DG

FIL 70 TECH REC 2M 6400 WW DALI GR.

PHOTOMETRIC DATA:







LAMP reserves the right to change the technical specifications of their products. These changes	s will
allow the continual improvement of the products and will also ensure the conformity to current le	egal
changes. Updated information is always available in our website www.lamp.es	

FIL 70 TECH



ACCESORIES:

Assembly



Product code:

ELWRST



ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7J0



ACC. INTM JOINT



Product code:

F7REECG F7REECW

Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7TEREHCG F7TEREHCW

Description:

FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.

ACCESORIES:

Optical



Product code:

Description:

DIOPST1000 ACC. DIF. SOFT TECH OPAL

Data according to regulations 2019/2020/EU and 2019/2015/EU