Product datasheet

FIL 70 TECH


F71RE200HOTS830NG



FIL 70 TECH REC 2M 6400 WW GR.

Description:

Suspended or mounted surface luminaire model FIL 70 TECH REC 2M 6400 WW GR., LAMP brand. Made of satin grey painted extruded aluminium. Model for MID-POWER LED with warm white colour tem perature and control gear included, which consists of a two-phase reflection. Glare rating <19 (for 4h, 8h 70/50/20). Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Dimensions: 2.000 x 70 x 70 mm Weight: 4.247 g

Installation: Recessed

2,012 x 78 x 85 mm Recessing measures:



TECHNICAL SPECIFICATIONS:

Light output: 4.800 lm °K: 3000 Plum: 44,7W CRI: 80 Efficacy: 107,3 lm/w 3 MacAdam:

UGR: <19 Power Supply: 220-240V 50/60Hz

Type: MID POWER LED Gear: Electronic

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

42W Power:

Light output tolerance +/- 10%



























CUSTOM MADE OPTIONS:

























Data according to regulations 2019/2020/EU and 2019/2015/EU


FIL 70 TECH




F71RE200HOTS830NG

FIL 70 TECH REC 2M 6400 WW GR.

PHOTOMETRIC DATA:





alpha = 82,1°	H (m)
	1
	2
	3
	4

H (m)	D (m)	Emax	Emed
1	1,74	3341	2001
2	3,48	835	500
3	5,22	371	222
4	6,96	209	125

FIL 70 TECH



ACCESORIES:

Assembly



Product code:

ELWRST



ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7J0

Description:

ACC. INTM JOINT



Product code:

F7REECG F7REECW

Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7TEREHCG F7TEREHCW

Description:

FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.

ACCESORIES:

Optical



Product code:

Description:

DIOPST1000 ACC. DIF. SOFT TECH OPAL

Data according to regulations 2019/2020/EU and 2019/2015/EU