Product datasheet

FIL 70 TECH

F71RE200HOTS840NG




FIL 70 TECH REC 2M 6400 NW GR.

Description:

Finish:

Recessed luminaire model FIL 70 TECH REC 2M 6400 NW GR., LAMP brand. Made of satin grey painted extruded aluminium. Model for MID-POWER LED with neutral white colour temperature and control gear included, which consists of a two-phase reflection. Glare rating <19 (for 4h, 8h 70/50/20). Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Gloss grey Dimensions: 2.000 x 70 x 70 mm

Weight: 4.247 g

Installation: Recessed

2,012 x 78 x 85 mm **Recessing measures:**

TECHNICAL SPECIFICATIONS:

Light output:	4.800 lm	°K :	4000
Plum:	44,7W	CRI :	80
Efficacy:	107,3 lm/w	MacAdam:	3
UGR:	<19	Power Supply:	220-240V 50/60Hz
Туре:	MID POWER LED	Gear:	Electronic
LED Lifetime:	50.000 L80 B10 (Ta=25°C)		
Power:	42W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Worktitude for light

Product datasheet

FIL 70 TECH

F71RE200HOTS840NG

FIL 70 TECH REC 2M 6400 NW GR.



4740203	180°	alpha = 81,0°	H (m)	D (m)	Emax	Emed
η = 100%			1	1,71	1861	1116
lmax = 716 cd/klm						
UTE: 1,00A	90° 90°		2	3,42	465	279
CIE: 85 100 100 100 100						
			3	5,13	207	124
	0°		4	6,84	116	70

Worktitude for light

Product datasheet

FIL 70 TECH

ACCESORIES :

Assembly



Product code: ELWRST

Description: ACC. ELECTROSTATICS WRIST STRAP

FIL 70 ACC. REC END COVER GR.

FIL 70 ACC. REC END COVER WH.



Product code: F7JO

Product code:

F7TEREHCG

F7TEREHCW

10 cr



Description:

FIL 70 TECH ACC. REC 90° CORNER GR.

FIL 70 TECH ACC. REC 90° CORNER WH.



Product code: F7REECG F7REECW

ACCESORIES :



Product code: DIOPST1000

ACC. DIF. SOFT TECH OPAL



Description:

Description: