Product datasheet

FIL 70 TECH


F71RE200HOTS840NW



FIL 70 TECH REC 2M 6400 NW WH.

Description:

Recessed luminaire model FIL 70 TECH REC 2M 6400 NW WH., LAMP brand. Made of matt white painted extruded aluminium. Model for MID-POWER LED with neutral white colour temperature and control gear included, which consists of a two-phase reflection. Glare rating <19 (for 4h, 8h 70/50/20). Insulation class I.Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Finish: Matte white RAL 9010 2.000 x 70 x 70 mm Dimensions:

Weight: 4.247 g

Installation: Recessed

2,012 x 78 x 85 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 4.800 lm °K: 4000 Plum: 44,7W CRI: 80 Efficacy: 107,3 lm/w 3 MacAdam:

UGR: <19

Type: MID POWER LED

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

42W Power:

Gear: Electronic

Light output tolerance +/- 10%



CLASE

















CUSTOM MADE OPTIONS:



















Power Supply:

220-240V 50/60Hz






FIL 70 TECH





F71RE200HOTS840NW

FIL 70 TECH REC 2M 6400 NW WH.

PHOTOMETRIC DATA:







| H (m) | D (m) | Emax | Emed |
|-------|-------|------|------|
| 1 | 1,71 | 1861 | 1116 |
| 2 | 3,42 | 465 | 279 |
| 3 | 5,13 | 207 | 124 |
| 4 | 6,84 | 116 | 70 |

FIL 70 TECH



ACCESORIES:

Assembly



Product code:

ELWRST



ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7J0

Description:

ACC. INTM JOINT



Product code:

F7REECG F7REECW

Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7TEREHCG F7TEREHCW

Description:

FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.

ACCESORIES:

Optical



Product code:

Description:

DIOPST1000 ACC. DIF. SOFT TECH OPAL

Data according to regulations 2019/2020/EU and 2019/2015/EU