


F71RE200MOTA830NG



FIL 70 TECH ASYM REC 2M 3200 WW GR.

Description:

Recessed luminaire FIL 70 TECH ASYM REC 2M 3200 WW GR., LAMP brand. Made of satin grey painted extruded aluminium with REDIL® OPTICS. Model for LED MID-POWER with warm white colour temperature and electronic control gear included. Insulation class I. Environmental Product Declaration - EPD@available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Gloss grey

Dimensions: 2.000 x 70 x 70 mm

Weight: 4.830 g

Installation: Recessed

Recessing measures: 2,012 x 78 x 85 mm

TECHNICAL SPECIFICATIONS:

Light output: 2.776 lm

°K : 3000

Plum: 26,8W

CRI : 80

Efficacy: 103,6 lm/w

MacAdam: 3

UGR: <19


Power Supply: 220-240V 50/60Hz

Type: MID POWER LED

Gear: Electronic

LED Lifetime: 50.000 L80 B10 (Ta=25°C)


Power: 25W

Light output tolerance +/- 10%


CUSTOM MADE OPTIONS:



PHOTOMETRIC DATA :



ACCESORIES :
Assembly



Product code:
ELWRST

Description:
ACC. ELECTROSTATICS WRIST STRAP



Product code:
F7COSUX/MMG
F7COSUX/MMW

Description:
FIL 70 ACC. COVER X/MM GR.
FIL 70 ACC. COVER X/MM WH.



Product code:
F7JO

Description:
ACC. INTM JOINT



Product code:
F7PRREX/MMG
F7PRREX/MMW

Description:
FIL 70 ACC. REC PROFILE X/MM GR.
FIL 70 ACC. REC PROFILE X/MM WH.



Product code:
F7REECG
F7REECW

Description:
FIL 70 ACC. REC END COVER GR.
FIL 70 ACC. REC END COVER WH.



Product code:
F7TEREHCG
F7TEREHCW

Description:
FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.