Product datasheet

FIL 70 TECH


F71RE200MOTS830DW



FIL 70 TECH REC 2M 3200 WW DALI WH.

Description:

Recessed structure model FIL 70 TECH REC 2M 3200 WW DALI WH., LAMP brand. Made of matt white painted extruded aluminium. Model for MID-POWER LED with warm white colour temperature and control DALI gear included, which consists of a two-phase reflection. Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Finish: Matte white RAL 9010 2.000 x 70 x 70 mm Dimensions:

Weight: 4.247 g

Power Supply:

220-240V 50/60Hz

Installation: Recessed

2,012 x 78 x 85 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 3.060 Im °K: 3000 Plum: 26,8W CRI: 80 Efficacy: 114,1 lm/w 3 MacAdam:

UGR: <19

Type: MID POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

Power: 25W

Light output tolerance +/- 10%

























CUSTOM MADE OPTIONS:
























FIL 70 TECH




F71RE200MOTS830DW

FIL 70 TECH REC 2M 3200 WW DALI WH.

PHOTOMETRIC DATA:





alpha = 81,9°				
/				

_					
	H (m)	D (m)	Emax	Emed	
	1	1,74	2091	1257	
	2	3,47	523	314	
	3	5,21	232	140	
	4	6,95	131	79	

FIL 70 TECH



ACCESORIES:

Assembly



Product code:

ELWRST



ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7J0

Description:

ACC. INTM JOINT



Product code:

F7REECG F7REECW

Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7TEREHCG F7TEREHCW

Description:

FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.

ACCESORIES:

Optical



Product code:

Description:

DIOPST1000 ACC. DIF. SOFT TECH OPAL

Data according to regulations 2019/2020/EU and 2019/2015/EU