#### **Product datasheet**

## **FIL 70 TECH**

# Worktitude for light

## F71RE200MOTS840DW



## FIL 70 TECH REC 2M 3200 NW DALI WH.

## Description:

Recessed luminaire model FIL 70 TECH REC 2M 3200 NW DALI WH., LAMP brand. Made of matt white painted extruded aluminium. Model for MID-POWER LED with neutral white colour temperature and control DALI gear included, which consists of a two-phase reflection. Insulation class I. Photobiological safety group 0.



Finish: Matte white RAL 9010

**Dimensions:** 2.000 x 70 x 70 mm **Weight:** 4.247 g

Installation: Recessed

Recessing measures: 2,012 x 78 x 85 mm

## **TECHNICAL SPECIFICATIONS:**

 Light output:
 3.060 lm
 °K:
 4000

 Plum:
 26,8W
 CRI:
 80

 Efficacy:
 114,1 lm/w
 MacAdam:
 3

**UGR**: <19

Type: MID POWER LED Gear:

**LED Lifetime:** 50.000 L80 B10 (Ta=25°C)

Power: 25W

## Light output tolerance +/- 10%





















## **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:





220-240V 50/60Hz

Adjustable DALI



# **FIL 70 TECH**





F71RE200MOTS840DW

## FIL 70 TECH REC 2M 3200 NW DALI WH.

## **PHOTOMETRIC DATA:**

4740203 η = 100% Imax = 716 cd/klm UTE: 1,00A





alpha = 81,0°	H (m)	D (m)	Emax	Emed
	1	1,71	1861	1116
	2	3,42	465	279
	3	5,13	207	124
	4	6,84	116	70

## **FIL 70 TECH**



# ACCESORIES:

## **Assembly**



Product code:

ELWRST



ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7J0



ACC. INTM JOINT



Product code:

F7REECG F7REECW

## Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



Product code:

F7TEREHCG F7TEREHCW

## Description:

FIL 70 TECH ACC. REC 90° CORNER GR.
FIL 70 TECH ACC. REC 90° CORNER WH.

#### **ACCESORIES:**

## Optical



Product code:

Description:

DIOPST1000 ACC. DIF. SOFT TECH OPAL