


F71SF170LOOP830DG

**FIL 70 OPAL SUS 3900 WW DALI GR.****Description:**


Suspended or mounted surface luminaire model FIL 70 OPAL SUS 3900 WW DALI GR., LAMP brand. Made of satin grey painted extruded aluminium with opal polycarbonate diffuser. Model for LED MID-POWER with warm white colour temperature and control DALI gear included. IP43, IK06 protection rating. Insulation class I. Photobiological safety group 0. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Gloss grey**Dimensions:** 1.743 x 70 x 70 mm**Weight:** 4.114 g**Installation:** Surface**TECHNICAL SPECIFICATIONS:**

Light output:	2.988 lm	°K :	3000
Plum:	29,7W	CRI :	80
Efficacy:	100,6 lm/w	MacAdam:	3
Type:	MID POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	25W		

Light output tolerance +/- 10%**CUSTOM MADE OPTIONS:**

PHOTOMETRIC DATA :




ACCESORIES :

Assembly



Product code:
ELWRST

Description:
ACC. ELECTROSTATICS WRIST STRAP



Product code:
F7COSUX/MMG
F7COSUX/MMW
F7PRSUX/MMG
F7PRSUX/MMW

Description:
FIL 70 ACC. COVER X/MM GR.
FIL 70 ACC. COVER X/MM WH.
FIL 70 ACC. SUS PROFILE X/MM GR.
FIL 70 ACC. SUS PROFILE X/MM WH.



Product code:
F7JO

Description:
ACC. INTM JOINT




Product code:
F7SFVCG
F7SFVCW

Description:
FIL 70 ACC. 90° WALL CORNER GR.
FIL 70 ACC. 90° WALL CORNER WH.



Product code:
F7SUECG
F7SUECW

Description:
FIL 70 ACC. SUS END COVER PC GR.
FIL 70 ACC. SUS END COVER PC WH.



Product code:
F7SUHCG
F7SUHCW

Description:
FIL 70 ACC. SUS 90° CORNER GR.
FIL 70 ACC. SUS 90° CORNER WH.


ACCESORIES :

Suspension



Product code:
SFRG41G

Description:
ACC. SUR FIXING NK.



Product code:
SUCA4000DG
SUCA4000NG

Description:
ACC. ELEC 5P SUSP GR.
ACC. ELEC 3P SUSP GR.



Product code:
SUCAEEMDEG

Description:
ACC. ELECMEC SUR FIXING GR.



Product code:
SUCAEMFA1000NG
SUCAEMFA4000NG

Description:
ACC. ELECMEC QUICK SUSP 1M GR.
ACC. ELECMEC QUICK SUSP 4M GR.



Product code:
SUCARG0100G
SUCARG0250G
SUCARG0500G
SUCARG1000G

Description:
ACC. ELECMEC RIGID SUSP 100MM GR.
ACC. ELECMEC RIGID SUSP 250MM GR.
ACC. ELECMEC RIGID SUSP 500MM GR.
ACC. ELECMEC RIGID SUSP 1000MM GR.



Product code:
SUWIDE1000G
SUWIDE4000G

Description:
ACC. QUICK STEEL CABLE 1M NK.
ACC. QUICK STEEL CABLE 4M NK.

ACCESORIES :

Support



Product code:
F5FX75G

Description:
ACC. WALL BRACKET 75MM GR.

ACCESORIES :

Optical



Product code:
F7DIX/MMOP

Description:
FIL 70 ACC. OPAL DIFFUSER X/MM

