

FC1200LO68OP8400W



FINECURVE IP67 24V 1040LM 20W 840 2MX19

Description:

Flexible strip model FINECURVE IP67 24V 1040LM 20W 840 2MX19 LAMP brand. Model for MID-POWER LED, neutral white color temperature. IP67 protection rating. Insulation class III. Supplied with a 2 meters.

Finish: Matte white RAL 9010




Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output:	910 lm	°K :	4000
Type:	MID POWER EPISTAR	CRI :	80
LED Lifetime:	36.000	MacAdam:	5
Power:	22W	Power Supply:	24V 50-60Hz
		Gear:	Without gear (requires external gear)


Light output tolerance +/- 10%



FC1200LO68OP8400W

FINECURVE IP67 24V 1040LM 20W 840 2MX19

PHOTOMETRIC DATA :



ACCESORIES :

Assembly




Product code:

CT4P67N

Description:

ACC. IP67 4P CONNECTOR



Product code:

FC1FX30G

Description:

FINE CURVE LED ACC.WALL BRACKET 25MM GR

ACCESORIES :

Adjustment and control



Product code:

DRV2010024D

Description:

DRV 100W 24V 220-240V DA IND.



Product code:

DRV6710024N

Description:

DRV 100W 24V 100-305V NR IP67



Product code:

DRV688024N

Description:

ACC. DRIVER IP68 24V 80W