

FC2200LO67OP9270W



FINECURVE IP67 24V 1000LM 20W 927 2M

Description:

Flexible strip model FINECURVE 2M LAMP brand. Model for MID POWER LED, 2700K color temperature, CRI 90. IP67 protection rating. Insulation class III. Lifetime: 36.000. Supplied with a 2 meters.

Finish: Matte white RAL 9010


Weight: 1.000 g

Installation: Surface


TECHNICAL SPECIFICATIONS:

Light output:	820 lm	°K :	2700
Type:	MID POWER LED	CRI :	90
LED Lifetime:	36.000 (Ta=25°C)	MacAdam:	3
Power:	20W	Power Supply:	24V 50-60Hz
		Gear:	Without gear (requires external gear)

Light output tolerance +/- 10%



PHOTOMETRIC DATA :



ACCESORIES :

Assembly




Product code:

CT4P67N

Description:

ACC. IP67 4P CONNECTOR



Product code:

FC1FX30G

Description:

FINE CURVE LED ACC.WALL BRACKET 25MM GR

ACCESORIES :

Adjustment and control



Product code:

DRV2010024D

Description:

DRV 100W 24V 220-240V DA IND.



Product code:

DRV202024N

Description:

ACC. DRIVER 24V 20W



Product code:

DRV6710024N

Description:

DRV 100W 24V 100-305V NR IP67



Product code:

DRV688024N

Description:

ACC. DRIVER IP68 24V 80W