

## FC2500LO67OP9300W



## FINECURVE IP67 24V 2500LM 50W 930 5M

**Description:**

Flexible strip model FINECURVE 5M LAMP brand. Model for MID POWER LED, 3000K color temperature, CRI 90. IP67 protection rating. Insulation class III. Lifetime: 36.000. Supplied with a 5 meters.

**Finish:** Matte white RAL 9010

**Weight:** 1.000 g



**Installation:** Surface

**TECHNICAL SPECIFICATIONS:**

**Light output:** 2.100 lm

**°K :** 3000

**Type:** MID POWER LED

**CRI :** 90

**LED Lifetime:** 36.000 (Ta=25°C)


**MacAdam:** 3

**Power:** 50W

**Power Supply:** 24V 50-60Hz

**Gear:** Without gear (requires external gear)


**Light output tolerance +/- 10%**



FC2500LO67OP9300W

FINECURVE IP67 24V 2500LM 50W 930 5M

PHOTOMETRIC DATA :



---

**ACCESORIES :****Assembly****Product code:**

CT4P67N

**Description:**


ACC. IP67 4P CONNECTOR

**Product code:**

FC1FX30G

**Description:**

FINE CURVE LED ACC.WALL BRACKET 25MM GR

**Product code:**

FCFX500W

**Description:**

FINECURVE ACC WALL BRACKET FLEX 500MM W

---

**ACCESORIES :****Adjustment and control****Product code:**

DRV2010024D

**Description:**

DRV 100W 24V 220-240V DA IND.

**Product code:**

DRV6710024N

**Description:**

DRV 100W 24V 100-305V NR IP67

**Product code:**

DRV688024N

**Description:**

ACC. DRIVER IP68 24V 80W