HANCE DOWNLIGHT




HD1RE10SP840DBB



HANCE DOWN REC 1000 NW SP DALI BK.

Description:

Multidirectional recessed downlight, model HANCE DOWN REC 1000 NW SP DALI BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED COB, with a neutral white colour temperature and control DALI gear included. With Spot high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 30°. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 720 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 819 lm
 °K:
 4000

 Plum:
 7,7W
 CRI:
 80

 Efficacy:
 106,4 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L90 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 7W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU



















HANCE DOWNLIGHT




HD1RE10SP840DBB

HANCE DOWN REC 1000 NW SP DALI BK.

PHOTOMETRIC DATA:

HD1RE10SP840NBB η = 100% Imax = 5559 cd/klm UTE:

CIE: 102 100 100 100 100



alpha = 16,5°	H (m)	D (m)	Emax	Emed
\wedge	1	0,29	4526	3115
	2	0,58	1132	779
	3	0,87	503	346
	4	1,16	283	195

HANCE DOWNLIGHT



ACCESORIES :

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50



HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU