HANCE DOWNLIGHT

Worktitude for light


HD1RE10SP840NBW



HANCE DOWN REC 1000 NW SP WH.

Description:

Multidirectional recessed downlight, model HANCE DOWN REC 1000 NW SP WH., LAMP brand. Body and frame made of injected aluminium in textured white colour and decorative rings made of injected polycarbonate in white colour. Passive dissipation for a proper thermal management. Model with LED COB, with a neutral white colour temperature and control gear included. With Spot high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 30°. Insulation class II.



Finish: Texturised white RAL 9010

Weight: 720 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 819 lm
 °K:
 4000

 Plum:
 7,7W
 CRI:
 80

 Efficacy:
 106,4 lm/w
 MacAdam:
 3

Type: COB **Power Supply:** 220-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 (Ta=25°C) Gear: Electronic

Power: 7W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU

















HANCE DOWNLIGHT




HD1RE10SP840NBW


HANCE DOWN REC 1000 NW SP WH.

PHOTOMETRIC DATA:

HD1RE10SP840NBW η = 100% Imax = 5559 cd/klm UTE:

CIE: 102 100 100 100 100





alpha = 16,5°	H (m)	D (m)	Emax	Emed
\wedge	1	0,29	4526	3115
	2	0,58	1132	779
	3	0,87	503	346
	4	1,16	283	195

HANCE DOWNLIGHT



ACCESORIES :

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50



HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU