HANCE DOWNLIGHT



HD1RE20MF830NBW



HANCE DOWN REC 2000 WW MFL WH.

Description:

Multidirectional recessed downlight, model HANCE DOWN REC 2000 WW MFL WH., LAMP brand. Body and frame made of injected aluminium in textured white colour and decorative rings made of injected polycarbonate in white colour. Passive dissipation for a proper thermal management. Model with LED COB, with a warm white colour temperature and control gear included. With Meidum Flood high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 30°. Insulation class II.



Finish: Texturised white RAL 9010

Weight: 720 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 1.760 lm °K: 3000 Plum: 20,7W CRI: 80 Efficacy: 85 lm/w 3 MacAdam:

Type: СОВ Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

18W Power:

Light output tolerance +/- 10%

























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU

















HANCE DOWNLIGHT



HD1RE20MF830NBW


HANCE DOWN REC 2000 WW MFL WH.

PHOTOMETRIC DATA:

HD1RE20MF830NBW η = 100% Imax = 3268 cd/klm UTE:

CIE: 101 100 100 100 100





alpha = 25,1°	H (m)	D (m)	Emax	Emed
\wedge	1	0,45	5725	3904
	2	0,89	1431	976
	3	1,34	636	434
	4	1,78	358	244

HANCE DOWNLIGHT



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B



HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS