HANCE DOWNLIGHT

HD1RE30SP830NBB



HANCE DOWN REC 3000 WW SP BK.

Description:

Multidirectional recessed downlight, model HANCE DOWN REC 3000 WW SP BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED COB, with a warm white colour temperature and control gear included. With Spot high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 30°. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 1.360 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 2.788 lm °K: 3000 Plum: 28,2W CRI: 80 Efficacy: 98,9 lm/w 3 MacAdam:

Type: СОВ Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

25W Power:

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU















HANCE DOWNLIGHT




HD1RE30SP830NBB


HANCE DOWN REC 3000 WW SP BK.

PHOTOMETRIC DATA:

HD1RE30SP830NBB η = 100% lmax = 7935 cd/klm UTE:

CIE: 104 100 100 100 100





alpha = 15,8°	H (m)	D (m)	Emax	Emed
\wedge	1	0,28	22001	15467
	2	0,55	5500	3867
	3	0,83	2445	1719
	4	1,11	1375	967

Data according to regulations 2019/2020/EU and 2019/2015/EU

HANCE DOWNLIGHT



ACCESORIES :

Optical



Product code:

HSCU75



HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSEL75



HANCE 3000/4000 ACC. ELIPTICAL LENS



Product code:

HSHO75

Description:

HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90B

Description:

HANCE 3000/4000 ACC. RING DECO BK.



Product code:

HSRI90C

Description:

HANCE 3000/4000 ACC. RING DECO CO.



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSTR75

Description:

HANCE 3000/4000 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU