HANCE DOWNLIGHT

Worktitude for light


HD1SR10FL840NBB



HANCE DOWN SEMIREC 1000 NW FL BK.

Description:

Multidirectional semi-recessed downlight, model HANCE DOWN SEMIREC 1000 NW FL BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED COB, with a neutral white colour temperature and control gear included. With Flood high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 85°. Insulation class II.



Finish: Texturised white RAL 9010

Weight: 790 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 738 lm
 °K:
 4000

 Plum:
 7,7W
 CRI:
 80

 Efficacy:
 95,8 lm/w
 MacAdam:
 3

Type: COB **Power Supply:** 220-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 (Ta=25°C) Gear: Electronic

Power: 7W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU

















HANCE DOWNLIGHT





HD1SR10FL840NBB

HANCE DOWN SEMIREC 1000 NW FL BK.

PHOTOMETRIC DATA:

HD1SR10FL840NBB η = 100% Imax = 2060 cd/klm UTE:





alpha = 35,4°	H (m)	D (m)	Emax	Emed
	1	0,64	1516	986
	2	1,28	379	247
	3	1,92	168	110
	4	2,56	95	62

HANCE DOWNLIGHT



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS