

HANCE DOWNLIGHT

HD1SR10SP830NBB



HANCE DOWN SEMIREC 1000 WW SP BK.

Description:

Multidirectional semi-recessed downlight, model HANCE DOWN SEMIREC 1000 WW SP BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED COB, with a warm white colour temperature and control gear included. With Spot high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 85°. Insulation class II.


Finish: Texturised white RAL 9010**Weight:** 790 g**Installation:** Recessed**TECHNICAL SPECIFICATIONS:**

Light output:	773 lm	°K :	3000
Plum:	7,7W	CRI :	80
Efficacy:	100,4 lm/w	MacAdam:	3
Type:	COB	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L90 B10 (Ta=25°C)	Gear:	Electronic
Power:	7W		

Light output tolerance +/- 10%**CUSTOM MADE OPTIONS:**

HD1SR10SP830NBB **HANCE DOWN SEMIREC 1000 WW SP BK.**

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

HSCU50

Description:

HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50

Description:

HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS