

HANCE DOWNLIGHT

HD1SR10SS940NBW



HANCE DOWN SEMIREC 1000 NW SSP WH.

Description:

Multidirectional semi-recessed downlight model HANCE DOWN SEMIREC 1000 NW SSP WH., LAMP brand. Body and frame made of injected aluminium in textured white colour and decorative rings made of injected polycarbonate in white colour. Passive dissipation for a proper thermal management. Model with LED HI-POWER, with a neutral white colour temperature and control gear included. With Superspot optics. It allows for a rotation of 355° and a tilt up to 85°. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 790 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:



Light output:	492 lm	°K :	4000
Plum:	8,6W	CRI :	90
Efficacy:	57 lm/w	MacAdam:	3
Type:	HIGH POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	60.000 L90 (Ta=25°C)	Gear:	Electronic
Power:	7W		

Light output tolerance +/- 10%

**CUSTOM MADE OPTIONS:**

HD1SR10SS940NBW **HANCE DOWN SEMIREC 1000 NW SSP WH.**

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:
HSCU50

Description:
HANCE 1000/2000 ACC. CUTTING BEAM



Product code:
HSEL50

Description:
HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:
HSRI65C

Description:
HANCE 1000/2000 ACC. RING DECO CO.



Product code:
HSRI65M

Description:
HANCE 1000/2000 ACC. RING DECO MET.



Product code:
HSRI65W

Description:
HANCE 1000/2000 ACC. RING DECO WH.



Product code:
HSSL50

Description:
HANCE 1000/2000 ACC. SOFT LENS