Product datasheet

HANCE DOWNLIGHT

Worktitude for light

HD1SR20FL830NBB



HANCE DOWN SEMIREC 2000 WW FL BK.

Description:

Multidirectional semi-recessed downlight, model HANCE DOWN SEMIREC 2000 WW FL BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED COB, with a warm white colour temperature and control gear included. With Flood high purity aluminium reflector. It allows for a rotation of 355º and a tilt up to 85º. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 790 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	1.445 lm	**ºK :**	3000
Plum:	20,7W	**CRI :**	80
Efficacy:	69,8 lm/w	**MacAdam:**	3
Type:	COB	**Power Supply:**	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10 (Ta=25ºC)	**Gear:**	Electronic
Power:	18W		

Light output tolerance +/- 10%

CUSTOM MADE OPTIONS:

HANCE DOWNLIGHT

HD1SR20FL830NBB **HANCE DOWN SEMIREC 2000 WW FL BK.**

PHOTOMETRIC DATA :

HD1SR20FL830NBB
η = 100%
Imax = 2006 cd/klm
UTE:
CIE: 100 100 100 100 100







H (m)	D (m)	Emax	Emed
1	0,65	2890	1870
2	1,30	723	468
3	1,96	321	208
4	2,61	181	117

ACCESORIES :

Optical

Product code:	Description:
HSCU50	HANCE 1000/2000 ACC. CUTTING BEAM

Product code:	Description:
HSHO50	HANCE 1000/2000 ACC. HONEYCOMB GRILLE

Product code:	Description:
HSRI65B	HANCE 1000/2000 ACC. RING DECO BK.

Product code:	Description:
HSRI65C	HANCE 1000/2000 ACC. RING DECO CO.

Product code:	Description:
HSRI65M	HANCE 1000/2000 ACC. RING DECO MET.

Product code:	Description:
HSRI65W	HANCE 1000/2000 ACC. RING DECO WH.



Product code:	Description:
HSTR50	HANCE 1000/2000 ACC. DIF TRANS

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU