

HANCE DOWNLIGHT

HD1SR20SS930DBW



HANCE DOWN SEMIREC 2000 WW SSP DALI WH.

Description:

Multidirectional semi-recessed downlight model HANCE DOWN SEMIREC 2000 WW SSP DALI WH., LAMP brand. Body and frame made of injected aluminium in textured white colour and decorative rings made of injected polycarbonate in white colour. Passive dissipation for a proper thermal management. Model with LED HI-POWER, with a warm white colour temperature and control DALI gear included. With Superspot optics. It allows for a rotation of 355° and a tilt up to 85°. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 790 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	652 lm	°K :	3000
Plum:	13,9W	CRI :	90
Efficacy:	46,8 lm/w	MacAdam:	3
Type:	HIGH POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L70 (Ta=25°C)	Gear:	Adjustable DALI
Power:	13W		


Light output tolerance +/- 10%

**CUSTOM MADE OPTIONS:**

HD1SR20SS930DBW

HANCE DOWN SEMIREC 2000 WW SSP DALI WH.

PHOTOMETRIC DATA :



ACCESSORIES :

Optical



Product code:

HSCU50

Description:

HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50

Description:

HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

Description:

HANCE 1000/2000 ACC. SOFT LENS