HANCE DOWNLIGHT




HD1SR20SS940NBB



HANCE DOWN SEMIREC 2000 NW SSP BK.

Description:

Multidirectional semi-recessed downlight model HANCE DOWN SEMIREC 2000 NW SSP BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED HI-POWER, with a neutral white colour temperature and control gear included. With Superspot optics. It allows for a rotation of 355° and a tilt up to 85°. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 790 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 737 lm
 °K:
 4000

 Plum:
 13,9W
 CRI:
 90

 Efficacy:
 53 lm/w
 MacAdam:
 3

Type: HIGH POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L70 (Ta=25°C) Gear: Electronic

Power: 13W

Light output tolerance +/- 10%

























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU













HANCE DOWNLIGHT




HD1SR20SS940NBB


HANCE DOWN SEMIREC 2000 NW SSP BK.


PHOTOMETRIC DATA:


HD1SR20SS940NBB $\eta = 99\%$ Imax = 19026 cd/klm UTE:


CIE: 103 100 100 100 99




















HANCE DOWNLIGHT



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50

Description:

HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

Description:

HANCE 1000/2000 ACC. SOFT LENS