

HANCE DOWNLIGHT

HD1SR30SP830NBB



HANCE DOWN SEMIREC 3000 WW SP BK.

Description:

Multidirectional semi-recessed downlight, model HANCE DOWN SEMIREC 3000 WW SP BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED COB, with a warm white colour temperature and control gear included. With Spot high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 85°. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 1.540 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	2.788 lm	°K :	3000
Plum:	28,2W	CRI :	80
Efficacy:	98,9 lm/w	MacAdam:	3
Type:	COB	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10 (Ta=25°C)	Gear:	Electronic
Power:	25W		


Light output tolerance +/- 10%


CUSTOM MADE OPTIONS:



HD1SR30SP830NBB **HANCE DOWN SEMIREC 3000 WW SP BK.**

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

HSCU75

Description:

HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSEL75

Description:

HANCE 3000/4000 ACC. ELIPTICAL LENS



Product code:

HSHO75

Description:

HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90B

Description:

HANCE 3000/4000 ACC. RING DECO BK.



Product code:

HSRI90C

Description:

HANCE 3000/4000 ACC. RING DECO CO.



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSTR75

Description:

HANCE 3000/4000 ACC. DIF TRANS