HANCE DOWNLIGHT

Worktitude for light


HD1SR40MF840DBB



HANCE DOWN SEMIREC 4000 NW MFL DALI BK.

Description:

Multidirectional semi-recessed downlight, model HANCE DOWN SEMIREC 4000 NW MFL DALI BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED COB, with a neutral white colour temperature and control DALI gear included. With Meidum Flood high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 85°. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 1.540 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 3.875 lm
 oK:
 4000

 Plum:
 37,6W
 CRI:
 80

 Efficacy:
 103,1 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L80 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 34W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU

















HANCE DOWNLIGHT





HD1SR40MF840DBB

HANCE DOWN SEMIREC 4000 NW MFL DALI BK.

PHOTOMETRIC DATA:

HD1SR40MF840NBB η = 100% lmax = 4056 cd/klmUTE: CIE: 102 100 100 100 100





HANCE DOWNLIGHT



ACCESORIES:

Optical



Product code:

HSCU75



HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSHO75



HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90B



HANCE 3000/4000 ACC. RING DECO BK.



Product code:

HSRI90C



HANCE 3000/4000 ACC. RING DECO CO.



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

Description:

HSTR75 HANCE 3000/4000 ACC. DIF TRANS