HANCE DOWNLIGHT

LAMP Worktitude for light


HD1SR40SP840NBB



HANCE DOWN SEMIREC 4000 NW SP BK.

Description:

Multidirectional semi-recessed downlight, model HANCE DOWN SEMIREC 4000 NW SP BK., LAMP brand. Body and frame made of injected aluminium in textured black colour and decorative rings made of injected polycarbonate in black colour. Passive dissipation for a proper thermal management. Model with LED COB, with a neutral white colour temperature and control gear included. With Spot high purity aluminium reflector. It allows for a rotation of 355° and a tilt up to 85°. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 1.540 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 3.660 lm
 °K:
 4000

 Plum:
 37,6W
 CRI:
 80

 Efficacy:
 97,3 lm/w
 MacAdam:
 3

Type: COB **Power Supply:** 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

Power: 34W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU

















HANCE DOWNLIGHT




HD1SR40SP840NBB

HANCE DOWN SEMIREC 4000 NW SP BK.

PHOTOMETRIC DATA:

HD1SR40SP840NBB η = 100% Imax = 6494 cd/klm UTE: CIE: 103 100 100 100 100



alpha = 17,6°	H (m)	D (m)	Emax	Emed
\wedge	1	0,31	23657	16815
	2	0,62	5914	4204
	3	0,93	2629	1868
	4	1,24	1479	1051

Data according to regulations 2019/2020/EU and 2019/2015/EU

HANCE DOWNLIGHT



ACCESORIES :

Optical



Product code:

HSCU75



HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSEL75



HANCE 3000/4000 ACC. ELIPTICAL LENS



Product code:

HSHO75

Description:

HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90B

Description:

HANCE 3000/4000 ACC. RING DECO BK.



Product code:

HSRI90C

Description:

HANCE 3000/4000 ACC. RING DECO CO.



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSTR75

Description:

HANCE 3000/4000 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU