#### HANCE DOWNLIGHT



#### HD2RE10SP840NW



#### HANCE G2 DOWN REC 1000 NW SP WH

#### Description:

LAMP multidirectional recessed downlight HANCE G2 DOWN REC 1000. Allowing 355° rotation and tilting up to 30°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 20° spot reflector. LED COB, 4000K and CRI80. Electronic ON OFF control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 78.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised white RAL 9010

Installation: Recessed

#### **TECHNICAL SPECIFICATIONS:**

Light output: 1.054 lm °K: 4000 Plum: 8,6W CRI: 80 Efficacy: 122,6 lm/w R9: 66 UGR: <16 MacAdam: 3

**Type:** COB **Power Supply:** 220-240V 50/60Hz

LED Lifetime: 78.000 L80B10 (Ta=25°C) Gear: Electronic

Power: 7W

#### Light output tolerance +/- 10%

























#### **CUSTOM MADE OPTIONS:**











Data according to regulations 2019/2020/EU and 2019/2015/EU















# **HANCE DOWNLIGHT**





HD2RE10SP840NW


## HANCE G2 DOWN REC 1000 NW SP WH

#### **PHOTOMETRIC DATA:**

HD2RE10SP840NW  $\eta$  = 100% Imax = 4956 cd/klm UTE: CIE: 102 100 100 100 100







# **HANCE DOWNLIGHT**



# ACCESORIES:

# Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

#### Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

## Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

# Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

# Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS