HANCE DOWNLIGHT

HD2RE10SS930NW




HANCE G2 DOWN REC 1000 9WW SSP WH

Description:

LAMP multidirectional recessed downlight HANCE G2 DOWN REC 1000. Allowing 355° rotation and tilting up to 30°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 10º super spot polycarbonate optics. LED HIGH POWER, 3000K and CRI90. Electronic ON OFF control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 50.000 L70B10 (Ta=25°C). Available finishes: Textured white and textured black.

Finish: Texturised white RAL 9010



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 652 lm °K: 3000 Plum: 13,9W CRI: 90 Efficacy: 46,9 lm/w R9: 53 UGR: <16 MacAdam: 3

Type: HIGH POWER Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L70B10 (Ta=25°C) Gear: Electronic

13W Power:

Light output tolerance +/- 10%





































CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU

















HANCE DOWNLIGHT



HD2RE10SS930NW


HANCE G2 DOWN REC 1000 9WW SSP WH


PHOTOMETRIC DATA:


HD2RE20SS930NW $\eta = 99\%$ Imax = 20858 cd/klm UTE:


CIE: 103 100 100 100 99




















HANCE DOWNLIGHT



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS