## HANCE DOWNLIGHT



## HD2RE20MF840DW




## HANCE G2 DOWN REC 2000 NW MFL DALI WH

## Description:

LAMP multidirectional recessed downlight HANCE G2 DOWN REC 2000. Allowing 355° rotation and tilting up to 30°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 25º middle flood reflector. LED COB, 4000K and CRI80. Electronic DALI control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 72.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.

Finish: Texturised white RAL 9010



#### Installation: Recessed

## **TECHNICAL SPECIFICATIONS:**

Light output: 2.402 lm °K: 4000 Plum: 20,8W CRI: 80 Efficacy: 115,5 lm/w R9: 66 UGR: <19 MacAdam: 3

Type: COB Power Supply: 220-240V 50/60Hz LED Lifetime: 72.000 L80B10 (Ta=25°C) Gear: Adjustable DALI

18W Power:

## Light output tolerance +/- 10%

























# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU

















## HANCE DOWNLIGHT





HD2RE20MF840DW


## HANCE G2 DOWN REC 2000 NW MFL DALI WH

## **PHOTOMETRIC DATA:**

HD2RE20MF840DW  $\eta$  = 100% lmax = 3354 cd/klmUTE: CIE: 101 100 100 100 100







## HANCE DOWNLIGHT



# ACCESORIES:

## Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

## Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

## Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS