#### HANCE DOWNLIGHT



#### HD2SR10FL830NW



#### HANCE G2 DOWN SEMIREC 1000 WW FL WH

#### Description:

LAMP multidirectional semi-recessed downlight HANCE G2 DOWN SEMIREC 1000. Allowing 355° rotation and tilting up to 85°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 35° flood reflector. LED COB, 3000K and CRI80. Electronic ON OFF control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 78.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised white RAL 9010

Installation: Recessed

#### **TECHNICAL SPECIFICATIONS:**

Light output: 1.011 lm °K: 3000 Plum: 8,6W CRI: 80 Efficacy: 117,6 lm/w R9: 60 UGR: <19 MacAdam: 3

Type: COB Power Supply: 220-240V 50/60Hz

LED Lifetime: 78.000 L80B10 (Ta=25°C) Gear: Electronic

Power: 7W

### Light output tolerance +/- 10%























**CUSTOM MADE OPTIONS:** 









Data according to regulations 2019/2020/EU and 2019/2015/EU
















# HANCE DOWNLIGHT





HD2SR10FL830NW


# HANCE G2 DOWN SEMIREC 1000 WW FL WH

#### **PHOTOMETRIC DATA:**









# HANCE DOWNLIGHT



# ACCESORIES:

# Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

#### Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

# Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

# Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

# Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS