### HANCE DOWNLIGHT

### HD2SR10FL840DW



### HANCE G2 DOWN SEMIREC 1000 NW FL DALI WH

### Description:

LAMP multidirectional semi-recessed downlight HANCE G2 DOWN SEMIREC 1000. Allowing 355° rotation and tilting up to 85°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 35º flood reflector. LED COB, 4000K and CRI80. Electronic DALI control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 78.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised white RAL 9010

Installation: Recessed

### **TECHNICAL SPECIFICATIONS:**

Light output: 1.071 lm °K: 4000 Plum: 8,6W CRI: 80 Efficacy: 124,5 lm/w R9: 66 UGR: <19 MacAdam: 3

Type: COB Power Supply: 220-240V 50/60Hz LED Lifetime: 78.000 L80B10 (Ta=25°C) Gear: Adjustable DALI

7W Power:

## Light output tolerance +/- 10%



























# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU

















## HANCE DOWNLIGHT





HD2SR10FL840DW


## HANCE G2 DOWN SEMIREC 1000 NW FL DALI WH

## **PHOTOMETRIC DATA:**

HD2SR10FL840DW  $\eta$  = 100% Imax = 2218 cd/klm UTE: CIE: 100 100 100 100 100







## HANCE DOWNLIGHT



# ACCESORIES:

# Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

### Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

## Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

## Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

## Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS