## HANCE DOWNLIGHT

# Worktitude for light

## HD2SR10SP930NB



## HANCE G2 DOWN SEMIREC 1000 9WW SP BK

## Description:

LAMP multidirectional semi-recessed downlight HANCE G2 DOWN SEMIREC 1000. Allowing 355° rotation and tilting up to 85°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 20° spot reflector. LED COB, 3000K and CRI90. Electronic ON OFF control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 78.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised black RAL 9011

Installation: Recessed

## **TECHNICAL SPECIFICATIONS:**

Light output: 853 lm °K: 3000 Plum: 8,6W CRI: 90 Efficacy: 99,2 lm/w R9: 60 UGR: <16 MacAdam: 3

**Type:** COB **Power Supply:** 220-240V 50/60Hz

LED Lifetime: 78.000 L80B10 (Ta=25°C) Gear: Electronic

Power: 7W

## Light output tolerance +/- 10%























# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU

















## HANCE DOWNLIGHT




HD2SR10SP930NB


## HANCE G2 DOWN SEMIREC 1000 9WW SP BK


## **PHOTOMETRIC DATA:**


HD2SR10SP930NB  $\eta$  = 100% Imax = 4956 cd/klm UTE:


CIE: 102 100 100 100 100




















## HANCE DOWNLIGHT



# ACCESORIES:

# Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

## Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

## Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

## Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

## Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS