



HD2SR10SS940DW



HANCE G2 DOWN SEMIREC 1000 NW SSP DA WH

Description:

LAMP multidirectional semi-recessed downlight HANCE G2 DOWN SEMIREC 1000. Allowing 355° rotation and tilting up to 85°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 10° super spot polycarbonate optics. LED HIGH POWER, 4000K and CRI90. Electronic DALI control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 50.000 L70B10 (Ta=25°C). Available finishes: Textured white and textured black.

Finish: Texturised white RAL 9010

Installation: Recessed

TECHNICAL SPECIFICATIONS:



| | | | |
|----------------------|-------------------------|----------------------|------------------|
| Light output: | 737 lm | °K : | 4000 |
| Plum: | 13,9W | CRI : | 90 |
| Efficacy: | 53 lm/w | R9 : | 62 |
| UGR: | <16 | MacAdam: | 3 |
| Type: | HIGH POWER | Power Supply: | 220-240V 50/60Hz |
| LED Lifetime: | 50.000 L70B10 (Ta=25°C) | Gear: | Adjustable DALI |
| Power: | 13W | | |

Light output tolerance +/- 10%

**CUSTOM MADE OPTIONS:**

HD2SR10SS940DW **HANCE G2 DOWN SEMIREC 1000 NW SSP DA WH**

PHOTOMETRIC DATA :



ACCESSORIES :

Optical



Product code:

HSCU50

Description:

HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS