HANCE DOWNLIGHT



HD2SR10SS940NB



HANCE G2 DOWN SEMIREC 1000 9NW SSP BK

Description:

LAMP multidirectional semi-recessed downlight HANCE G2 DOWN SEMIREC 1000. Allowing 355° rotation and tilting up to 85°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 10° super spot polycarbonate optics. LED HIGH POWER, 4000K and CRI90. Electronic ON OFF control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 50.000 L70B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised black RAL 9011

Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 737 lm
 °K:
 4000

 Plum:
 13,9W
 CRI:
 90

 Efficacy:
 53 lm/w
 R9:
 62

 UGR:
 <16</td>
 MacAdam:
 3

Type: HIGH POWER Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L70B10 (Ta=25°C) Gear: Electronic

Power: 13W

Light output tolerance +/- 10%























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU

















HANCE DOWNLIGHT




HD2SR10SS940NB


HANCE G2 DOWN SEMIREC 1000 9NW SSP BK


PHOTOMETRIC DATA:


HD2SR20SS940NB $\eta = 99\%$ Imax = 19026 cd/klm UTE:


CIE: 103 100 100 100 99




















HANCE DOWNLIGHT



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS