


HD2SR20FL930DB



HANCE G2 DOWN SEMIREC 2000 9WW FL DA BK

Description:

LAMP multidirectional semi-recessed downlight HANCE G2 DOWN SEMIREC 2000. Allowing 355° rotation and tilting up to 85°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 35° flood reflector. LED COB, 3000K and CRI90. Electronic DALI control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 72.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.

Finish: Texturised black RAL 9011

Installation: Recessed

TECHNICAL SPECIFICATIONS:

| | | | |
|----------------------|-------------------------|----------------------|------------------|
| Light output: | 1.918 lm | °K : | 3000 |
| Plum: | 20,8W | CRI : | 90 |
| Efficacy: | 92,2 lm/w | R9 : | 60 |
| Type: | COB | MacAdam: | 3 |
| LED Lifetime: | 72.000 L80B10 (Ta=25°C) | Power Supply: | 220-240V 50/60Hz |
| Power: | 18W | Gear: | Adjustable DALI |



Light output tolerance +/- 10%

**CUSTOM MADE OPTIONS:**

HD2SR20FL930DB

HANCE G2 DOWN SEMIREC 2000 9WW FL DA BK

PHOTOMETRIC DATA :



ACCESSORIES :

Optical



Product code:

HSCU50

Description:

HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS