LAMP Worktitude for light


HS1SF10SP830DBW



HANCE SUR 1000 WW SP DALI WH.

Description:

Multi-directional for surface mounting projector model HANCE SUR 1000 WW SP DALI WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with warm white colour temperature and control DALI gear included. With Spot high purity aluminium reflector. Insulation class I.



Finish: Texturised white RAL 9010

Weight: 640 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

 Light output:
 773 lm
 ⁰K:
 3000

 Plum:
 7,7W
 CRI:
 80

 Efficacy:
 100,4 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L90 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 7W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:





















LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal




HS1SF10SP830DBW


HANCE SUR 1000 WW SP DALI WH.

PHOTOMETRIC DATA:

HS1SF10SP830NBW η = 100% Imax = 5281 cd/klm UTE:

CIE: 101 100 100 100 100





alpha = 17,5°	H (m)	D (m)	Emax	Emed
\wedge	1	0,31	3867	2678
	2	0,62	967	669
	3	0,92	430	298
	4	1,23	242	167



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50



HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

Description:

HANCE 1000/2000 ACC. SOFT LENS



Product code:

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS