Worktitude for light


HS1SF20MF830DBW



HANCE SUR 2000 WW MFL DALI WH.

Description:

Multi-directional for surface mounting projector model HANCE SUR 2000 WW MFL DALI WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with warm white colour temperature and control DALI gear included. With Meidum Flood high purity aluminium reflector. Insulation class I.



Finish: Texturised white RAL 9010

Weight: 720 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

 Light output:
 1.760 lm
 °K:
 3000

 Plum:
 20,7W
 CRI:
 80

 Efficacy:
 85 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L80 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 18W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU















HS1SF20MF830DBW


HANCE SUR 2000 WW MFL DALI WH.


PHOTOMETRIC DATA:

HS1SF20MF830NBW η = 100% Imax = 3433 cd/klm

UTE:

CIE: 100 100 100 100 100





alpha = 24,1°	H (m)	D (m)	Emax	Emed
\wedge	1	0,43	5507	3755
	2	0,85	1377	939
	3	1,28	612	417
	4	1,71	344	235



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

Description:

HANCE 1000/2000 ACC. SOFT LENS



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS