Worktitude for light


HS1SF30FL830DBB



HANCE SUR 3000 WW FL DALI BK.

Description:

Multi-directional for surface mounting projector model HANCE SUR 3000 WW FL DALI BK., LAMP brand. Made of textured black color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with warm white colour temperature and control DALI gear included. With Flood high purity aluminium reflector. Insulation class I.



Finish: Texturised black RAL 9011

Weight: 1.340 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

 Light output:
 2.740 lm
 ⁰K :
 3000

 Plum:
 28,2W
 CRI :
 80

 Efficacy:
 97,2 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L80 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 25W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU
















HS1SF30FL830DBB


HANCE SUR 3000 WW FL DALI BK.

PHOTOMETRIC DATA:

HS1SF30FL830NBB η = 100% Imax = 2807 cd/klm UTE:

CIE: 101 100 100 100 100





alpha = 31,9°	H (m)	D (m)	Emax	Emed
\wedge	1	0,57	7188	4882
	2	1,14	1797	1220
	3	1,72	799	542
	4	2,29	449	305



ACCESORIES:

Optical



Product code:

HSCU75



Description:

Product code:

HSHO75

Description:

HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90C



HANCE 3000/4000 ACC. RING DECO CO.

HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSSL75

Description:

HANCE 3000/4000 ACC. SOFT LENS



Product code:

Description:

HSTR75 HANCE 3000/4000 ACC. DIF TRANS