


## HS1SF30MF830NBB



## HANCE SUR 3000 WW MFL BK.

**Description:**

Multi-directional for surface mounting projector model HANCE SUR 3000 WW MFL BK., LAMP brand. Made of textured black color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with warm white colour temperature and control gear included. With Medium Flood high purity aluminium reflector. Insulation class I.

**Finish:** Texturised black RAL 9011

**Weight:** 1.340 g

**Installation:** Surface

**TECHNICAL SPECIFICATIONS:**

|                      |                          |                      |                  |
|----------------------|--------------------------|----------------------|------------------|
| <b>Light output:</b> | 2.816 lm                 | <b>°K :</b>          | 3000             |
| <b>Plum:</b>         | 28,2W                    | <b>CRI :</b>         | 80               |
| <b>Efficacy:</b>     | 99,8 lm/w                | <b>MacAdam:</b>      | 3                |
| <b>Type:</b>         | COB                      | <b>Power Supply:</b> | 220-240V 50/60Hz |
| <b>LED Lifetime:</b> | 50.000 L80 B10 (Ta=25°C) | <b>Gear:</b>         | Electronic       |
| <b>Power:</b>        | 25W                      |                      |                  |


*Light output tolerance +/- 10%*

**CUSTOM MADE OPTIONS:**

HS1SF30MF830NBB

HANCE SUR 3000 WW MFL BK.

PHOTOMETRIC DATA :



ACCESORIES :

Optical



**Product code:**  
HSCU75

**Description:**  
HANCE 3000/4000 ACC. CUTTING BEAM



**Product code:**  
HSHO75

**Description:**  
HANCE 3000/4000 ACC. HONEYCOMB GRILLE



**Product code:**  
HSRI90C

**Description:**  
HANCE 3000/4000 ACC. RING DECO CO.



**Product code:**  
HSRI90M

**Description:**  
HANCE 3000/4000 ACC. RING DECO MET.



**Product code:**  
HSRI90W

**Description:**  
HANCE 3000/4000 ACC. RING DECO WH.



**Product code:**  
HSSL75

**Description:**  
HANCE 3000/4000 ACC. SOFT LENS



**Product code:**  
HSTR75

**Description:**  
HANCE 3000/4000 ACC. DIF TRANS