
#### HS1SF30SP840NBW



## HANCE SUR 3000 NW SP WH.

#### Description:

Multi-directional for surface mounting projector model HANCE SUR 3000 NW SP WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with neutral white colour temperature and control gear included. With Spot high purity aluminium reflector. Insulation class I.



Finish: Texturised white RAL 9010

Weight: 1.340 g

Installation: Surface

#### **TECHNICAL SPECIFICATIONS:**

Light output: 2.904 lm °K: 4000 Plum: 28,2W CRI: 80 Efficacy: 103 lm/w 3 MacAdam:

Type: СОВ Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

25W Power:

#### Light output tolerance +/- 10%





















## **CUSTOM MADE OPTIONS:**























## HS1SF30SP840NBW

## HANCE SUR 3000 NW SP WH.


## PHOTOMETRIC DATA:


HS1SF30SP840NBW  $\eta$  = 100%

Imax = 7238 cd/klm

UTE:

CIE: 103 100 100 100 100





alpha = 16,7°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,29	19129	13549
	2	0,59	4782	3387
	3	0,88	2125	1505
	4	1,17	1196	847



# ACCESORIES:

## Optical



Product code:

HSCU75



HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSEL75



HANCE 3000/4000 ACC. ELIPTICAL LENS



Product code:

HSHO75



HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90C

Description:

HANCE 3000/4000 ACC. RING DECO CO.



Product code:

HSRI90M

## Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSSL75

#### Description:

HANCE 3000/4000 ACC. SOFT LENS



Product code:

HSTR75

Description:

HANCE 3000/4000 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU