
Worktitude for light

HS1SF40MF830DBW

HANCE SUR 4000 WW MFL DALI WH.

Description:

Multi-directional for surface mounting projector model HANCE SUR 4000 WW MFL DALI WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with warm white colour temperature and control DALI gear included. With Meidum Flood high purity aluminium reflector. Insulation class I.



Finish: Texturised white RAL 9010

Weight: 1.340 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

 Light output:
 3.724 lm
 °K:
 3000

 Plum:
 37,6W
 CRI:
 80

 Efficacy:
 99 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L80 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 34W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU


















HS1SF40MF830DBW


HANCE SUR 4000 WW MFL DALI WH.

PHOTOMETRIC DATA:

HS1SF40MF830NBW η = 100% Imax = 4301 cd/klm UTE:

CIE: 101 100 100 100 100





alpha = 24,3°	H (m)	D (m)	Emax	Emed
\wedge	1	0,43	14530	10399
	2	0,86	3633	2600
	3	1,29	1614	1155
	4	1,72	908	650



ACCESORIES:

Optical



Product code:

HSCU75



Description:

Product code:

HSHO75

Description:

HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90C



HANCE 3000/4000 ACC. RING DECO CO.

HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSSL75

Description:

HANCE 3000/4000 ACC. SOFT LENS



Product code:

Description:

HSTR75 HANCE 3000/4000 ACC. DIF TRANS