Worktitude for light


HS1SR10SS930DBW



HANCE SEMIREC 1000 WW SSP DALI BK/WH.

Description:

Projector to adapt to three-phase universal multidirectional track model HANCE SEMIREC 1000 WW SSP DALI BK/WH., LAMP brand. Body made of injected aluminum painted in White textured color. Passive dissipation for a correct thermal management. Model for LED COB, with warm White color temperature and control DALI gear included. High purity aluminum reflector Superspot. Class of insulation II.



Finish: Texturised white RAL 9010

Weight: 750 g

Installation: Semi-Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 438 lm
 °K:
 3000

 Plum:
 8,6W
 CRI:
 90

 Efficacy:
 51 lm/w
 MacAdam:
 3

 Type:
 HIGH POWER LED
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 60.000 L90 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 7W

Light output tolerance +/- 10%























CUSTOM MADE OPTIONS:

















HANCE SEMIREC 1000 WW SSP DALI BK/WH.


PHOTOMETRIC DATA:


$$\label{eq:eta} \begin{split} &\text{HS1SR10SS930DBW} \\ &\eta = 99\% \\ &\text{Imax} = 18343 \text{ cd/klm} \\ &\text{UTE:} \end{split}$$


CIE: 102 100 100 100 99




















Data according to regulations 2019/2020/EU and 2019/2015/EU



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50

Description:

HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

Description:

HANCE 1000/2000 ACC. SOFT LENS