# Worktitude for light


#### HS1SR20MF840DBB



#### HANCE SEMIREC 2000 NW MFL DALI BK.

#### Description:

Multi-directional semi-recessed projector model HANCE SEMIREC 2000 NW MFL DALI BK., LAMP brand. Made of textured black color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with neutral white colour temperature and control DALI gear included. With Meidum Flood high purity aluminium reflector. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 850 g

Installation: Semi-Recessed

#### **TECHNICAL SPECIFICATIONS:**

 Light output:
 1.864 lm
 °K:
 4000

 Plum:
 20,7W
 CRI:
 80

 Efficacy:
 90 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L80 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 18W

#### Light output tolerance +/- 10%





















## **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU


















## HS1SR20MF840DBB


## HANCE SEMIREC 2000 NW MFL DALI BK.

## PHOTOMETRIC DATA:

HS1SR20MF840NBB  $\eta$  = 100% Imax = 3433 cd/klm UTE:

CIE: 100 100 100 100 100





alpha = 24,1°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,43	5819	3968
	2	0,85	1455	992
	3	1,28	647	441
	4	1,71	364	248



## ACCESORIES:

## Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C

#### Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

## Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

## Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSTR50

## Description:

HANCE 1000/2000 ACC. DIF TRANS