Worktitude for light


HS1SR20MF840DBW



HANCE SEMIREC 2000 NW MFL DALI WH.

Description:

Multi-directional semi-recessed projector model HANCE SEMIREC 2000 NW MFL DALI WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with neutral white colour temperature and control DALI gear included. With Meidum Flood high purity aluminium reflector. Insulation class II.



Finish: Texturised white RAL 9010

Weight: 850 g

Installation: Semi-Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 1.864 lm
 °K:
 4000

 Plum:
 20,7W
 CRI:
 80

 Efficacy:
 90 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L80 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 18W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:
























HS1SR20MF840DBW

HANCE SEMIREC 2000 NW MFL DALI WH.


PHOTOMETRIC DATA:

HS1SR20MF840NBW η = 100% Imax = 3433 cd/klm

CIE: 100 100 100 100 100



UTE:



alpha = 24,1°	H (m)	D (m)	Emax	Emed
\wedge	1	0,43	5819	3968
	2	0,85	1455	992
	3	1,28	647	441
	4	1,71	364	248



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS