# Worktitude for light


#### HS1SR20MF840NBB



# HANCE SEMIREC 2000 NW MFL BK.

#### Description:

Multi-directional semi-recessed projector model HANCE SEMIREC 2000 NW MFL BK., LAMP brand. Made of textured black color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with neutral white colour temperature and control gear included. With Meidum Flood high purity aluminium reflector. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 850 g

Installation: Semi-Recessed

#### **TECHNICAL SPECIFICATIONS:**

 Light output:
 1.864 lm
 °K:
 4000

 Plum:
 20,7W
 CRI:
 80

 Efficacy:
 90 lm/w
 MacAdam:
 3

**Type:** COB **Power Supply:** 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

Power: 18W

#### Light output tolerance +/- 10%





















# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU

















## HS1SR20MF840NBB


## HANCE SEMIREC 2000 NW MFL BK.

## PHOTOMETRIC DATA:

$$\label{eq:hammas} \begin{split} &\text{HS1SR20MF840NBB} \\ &\eta = 100\% \\ &\text{Imax} = 3433 \text{ cd/klm} \\ &\text{UTE:} \end{split}$$

CIE: 100 100 100 100 100





alpha = 24,1°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,43	5819	3968
	2	0,85	1455	992
	3	1,28	647	441
	4	1,71	364	248

Data according to regulations 2019/2020/EU and 2019/2015/EU



# ACCESORIES:

## Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C

#### Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

## Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

# Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSTR50

# Description:

HANCE 1000/2000 ACC. DIF TRANS