Worktitude for light


HS1SR20SP840NBB



HANCE SEMIREC 2000 NW SP BK.

Description:

Multi-directional semi-recessed projector model HANCE SEMIREC 2000 NW SP BK., LAMP brand. Made of textured black color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with neutral white colour temperature and control gear included. With Spot high purity aluminium reflector. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 850 g

Installation: Semi-Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 1.808 lm
 °K:
 4000

 Plum:
 20,7W
 CRI:
 80

 Efficacy:
 87,3 lm/w
 MacAdam:
 3

Type: COB **Power Supply:** 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

Power: 18W

Light output tolerance +/- 10%

















LED





CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU



















HS1SR20SP840NBB

HANCE SEMIREC 2000 NW SP BK.

PHOTOMETRIC DATA:

HS1SR20SP840NBB η = 100% Imax = 5441 cd/klm UTE:





alpha = 17,0°	H (m)	D (m)	Emax	Emed
\wedge	1	0,30	9017	6220
	2	0,60	2254	1555
	3	0,90	1002	691
	4	1,19	564	389



ACCESORIES:

Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSEL50



HANCE 1000/2000 ACC. ELIPTICAL LENS



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS