Worktitude for light


HS1SR30MF830DBB



HANCE SEMIREC 3000 WW MFL DALI BK.

Description:

Multi-directional semi-recessed projector model HANCE SEMIREC 3000 WW MFL DALI WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with warm white colour temperature and control DALI gear included. With Meidum Flood high purity aluminium reflector. Insulation class II.



Finish: Texturised black RAL 9011

Weight: 1.700 g

Installation: Semi-Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 2.816 lm
 °K:
 3000

 Plum:
 28,2W
 CRI:
 80

 Efficacy:
 99,8 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L80 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 25W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU


















HS1SR30MF830DBB


HANCE SEMIREC 3000 WW MFL DALI BK.

PHOTOMETRIC DATA:

HS1SR30MF830NBB η = 100% Imax = 4425 cd/klm UTE:

CIE: 102 100 100 100 100





alpha = 23,9°	H (m)	D (m)	Emax	Emed
\wedge	1	0,42	11582	8267
	2	0,85	2896	2067
	3	1,27	1287	919
	4	1,69	724	517



ACCESORIES:

Optical



Product code:

HSCU75



Description:

Product code:

HSHO75

Description:

HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90C



HANCE 3000/4000 ACC. RING DECO CO.

HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSSL75

Description:

HANCE 3000/4000 ACC. SOFT LENS



Product code:

Description:

HSTR75 HANCE 3000/4000 ACC. DIF TRANS