Worktitude for light


HS1SR30SP840NBW



HANCE SEMIREC 3000 NW SP WH.

Description:

Multi-directional semi-recessed projector model HANCE SEMIREC 3000 NW SP WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with neutral white colour temperature and control gear included. With Spot high purity aluminium reflector. Insulation class II.



Finish: Texturised white RAL 9010

Weight: 1.700 g

Installation: Semi-Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 2.904 lm
 %K:
 4000

 Plum:
 28,2W
 CRI:
 80

 Efficacy:
 103 lm/w
 MacAdam:
 3

Type: COB **Power Supply:** 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Electronic

Power: 25W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU




















HS1SR30SP840NBW

HANCE SEMIREC 3000 NW SP WH.

PHOTOMETRIC DATA:

HS1SR30SP840NBW η = 100% Imax = 7238 cd/klm

UTE: CIE: 103 100 100 100 100



alpha = 16,7°	H (m)	D (m)	Emax	Emed
\wedge	1	0,29	19129	13549
	2	0,59	4782	3387
	3	0,88	2125	1505
	4	1,17	1196	847



ACCESORIES:

Optical



Product code:

HSCU75



HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSEL75



HANCE 3000/4000 ACC. ELIPTICAL LENS



Product code:

HSHO75



HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90C

Description:

HANCE 3000/4000 ACC. RING DECO CO.



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSSL75

Description:

HANCE 3000/4000 ACC. SOFT LENS



Product code:

HSTR75

Description:

HANCE 3000/4000 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU