


HS1SR40MF830DBW



HANCE SEMIREC 4000 WW MFL DALI WH.

Description:

Multi-directional semi-recessed projector model HANCE SEMIREC 4000 WW MFL DALI WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with warm white colour temperature and control DALI gear included. With Meidum Flood high purity aluminium reflector. Insulation class II.



Finish: Texturised white RAL 9010 Weight: 1.700 g

Installation: Semi-Recessed

TECHNICAL SPECIFICATIONS:

| Light output: | 3.724 lm | ⁰K : | 3000 | |
|---------------|--------------------------|---------------|------------------|--|
| Plum: | 37,6W | CRI : | 80 | |
| Efficacy: | 99 lm/w | MacAdam: | 3 | |
| Туре: | СОВ | Power Supply: | 220-240V 50/60Hz | |
| LED Lifetime: | 50.000 L80 B10 (Ta=25⁰C) | Gear: | Adjustable DALI | |
| Power: | 34W | | | |

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:





HS1SR40MF830DBW

HANCE SEMIREC 4000 WW MFL DALI WH.

PHOTOMETRIC DATA :

| HS1SR40MF830NBW | 180° | alpha = 24,3° | H (m) | D (m) | Emax | Emed |
|--------------------------------|-----------|---------------|-------|-------|-------|-------|
| η = 100% Imax = 4301 cd/klm | | \land | 1 | 0,43 | 14530 | 10399 |
| UTE: | 90° 90° | | 2 | 0,86 | 3633 | 2600 |
| CIE: 101 100 100 100 100 | | | 3 | 1,29 | 1614 | 1155 |
| | <u>Ga</u> | | 4 | 1,72 | 908 | 650 |

ACCESORIES :

Optical



Product code: HSCU75





Product code: HSHO75

Description: HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90C

Description: HANCE 3000/4000 ACC. RING DECO CO.



Product code: HSRI90M

Description: HANCE 3000/4000 ACC. RING DECO MET.



Product code: HSRI90W





Product code: HSSL75

Description: HANCE 3000/4000 ACC. SOFT LENS



Product code: HSTR75

Description: HANCE 3000/4000 ACC. DIF TRANS